

APPROVED	D.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

08/888425

5788178




FIG. I

PRIOR ART

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 2




FIG. 3

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS




FIG. 4

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 5

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 6

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 7

APPROVED	D.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		





FIG. 8

APPROVED	O.G. FIG.
BY	
DRAFTSMAN	CLASS   SUBCLASS



vertical sensor field of view in degrees

FIG. 9

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. IO

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. II A




FIG. II B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
RAFTSMAN		




FIG. 12




FIG. 13




FIG. 14